

М 'Е^х
 HΨ Ψ H †
 W †
 W ч M 'Е^х γ Й “ 'Е^х ” H
 Ĩ ̣ ° π HΨ 'Е^х
 Т ̣ “ 'Е^х γ Й “ 'Е^х ” ∴ 'Е^х †
 M 'Е^х 'Е^х γ Й “ 'Е^х ” Ĩ ï
 ̣ ̣ 'Е^х HΨ Ψ L H †
 H HΨ Ψ 'Е^х HΨ Й F Ъ ч HΨ
 ̣ = L HΨ Ъ h H
 ̣ † ï к

H ̣
 ∴ Ψ ∴ H ï Т H H
 Ψ HΨ e° Ψ 9 ̣ W
 HΨ e W H к h Ψ Ъ
 Л Ψ Й ↓ Ә
 W Ъ í Т Ψ 'Е^х Ъ к
 'Е^х H H ̣
 H ∴ ρ Ъ Т' E ч Ъ ̣
 ∴ ∴ ρ Ъ ч Т Ψ 3 γ

í

[illegible]

$\mathcal{L} \quad \Psi$
 $\mathcal{M} \mathcal{L} \quad \Psi \Psi = \Psi e = \chi \Psi^{\sim} \gamma \tilde{u}$
 $= \quad \circ \quad = \quad \Psi \quad \circ \quad \gamma \quad \Psi \quad \circ$
 $\gamma \Psi \quad \Psi = \dot{\rho}$
 $\mathcal{M} \mathcal{E} \quad \Psi \Psi \quad \sim \quad \mathcal{E} \quad \mathcal{H} \quad \mathcal{H} \tilde{I} \tilde{I} \gamma \quad \cdot$
 $\downarrow \quad \Psi$
 $\mathcal{L} \quad \mathcal{H} \quad \updownarrow \tilde{I} =$
 $\mathcal{M} \neq \quad \Psi \Psi \quad \circ \circ \circ \quad \mathcal{N} \mathcal{H} \mathcal{H} \gamma \circ \quad \mathcal{F} \quad \sim \quad e \quad \bar{w}$

$\bar{w} \neq \tau = H \psi^{\alpha} \neq \tau \sim \gamma \check{\alpha}$
 $v = \tilde{E} H \psi \neq \tau \check{\alpha} v = \tau \sim \gamma$
 $\tau = \neq \tau =$
 $\mathfrak{M} \psi \psi \neq \tau \sim \cdot \mathfrak{H}$
 $\mathfrak{A} \neq \tau \psi \neq \psi$
 $\gamma \cdot \eta \neq \tau \tilde{E}$
 $H \psi \neq \tau \tilde{E} H \psi$
 $\mathfrak{M} \bar{w} \psi \psi \check{\imath} \psi = \Omega \neq \tau$
 $\sim \check{\alpha} v = \cdot$
 $\mathfrak{H} \mathfrak{b} \tau$
 $\mathfrak{M} H \psi \psi \sim \gamma \tilde{E} H$
 $\mathfrak{b} \cdot \mathfrak{z} \tilde{E} \mathfrak{y} \tau \mathfrak{z} \check{\imath}$
 L
 $\mathfrak{M} \psi \mathfrak{H} \tau$
 $\bar{w} \tilde{E}$
 $H \tilde{E} \mathfrak{E} \mathfrak{D}$
 $\mathfrak{E} \mathfrak{k} \psi H \psi H \psi W \tilde{E} \psi \psi = \check{\imath} \psi$
 $\psi \mathfrak{y} \check{\imath} \tau \tau$
 $\mathfrak{M} \psi \sim \gamma \bar{w} \tilde{E} H$
 $\neq H \cdot \mathfrak{b} \neq$
 $\mathfrak{M} \mathfrak{J} \psi \mathfrak{z} \cdot \tilde{E} H$
 $\cdot \mathfrak{w} \mathfrak{b} \cdot \mathfrak{b} \neq \tau$
 $\mathfrak{M} \tilde{E} \psi \mathfrak{G} \mathfrak{z} \mid \tilde{E} \tau \mathfrak{H} \mathfrak{H}$
 $\tilde{E} \mathfrak{H} \mathfrak{H} \bar{G} \mathfrak{H} \mathfrak{H}$
 $\mathfrak{J} \updownarrow$
 $\mathfrak{M} \neq H \updownarrow H \mathfrak{y} \tilde{E}$
 $\mathfrak{D} \tau H \updownarrow \mathfrak{b} \tilde{E} \gamma \tilde{E}$
 $\approx \mathfrak{y} \%$
 $\mathfrak{M} \mathfrak{H} H \updownarrow \tilde{E} H \psi \tilde{E} H \psi \mathfrak{H}$

2023 12 M E[~]